



baseline

The new line

- Proven top technologies
- Focussed on the essentials
- Productive and reliable
- Readily available



The competitive edge is built-in ...

Cost efficient and fast manufacturing

+ Readily available
 + Inexpensive
 + High productivity
 + CHIRON Service
 = **BASELINE!**



FZ12 FX baseline

The FZ12 FX BASELINE is among the best machining center of its class in terms of speed, compact construction and versatility of use.



FZ15 W baseline

The FZ15 W BASELINE has enormous ability for high milling capacity and is among the best machining center of its class in terms of speed, compact construction, stability and reliability.



MILL FX ⁸⁰⁰ baseline

The Mill800 FX BASELINE offers optimal conditions for highly productive cutting and accurate machining capabilities. One of the machines many unique strengths is its high milling capacity, while offering stability, reliability and little maintainan

- Technologies
- Travel X–Y–Z
- Spindle power
- Max. number of tools
- Tool taper
- Control

Five axis with
 2-Axis Tilt Rotary Table
 550–400–360 mm
 40 kW
 48
 HSK 50
 Siemens 840D sl

Basket Tool Changer
 workpiece changing device
 550–400–425 mm
 14 kW
 20
 SK 40 or HSK 63
 Siemens 840D sl

Five axis with
 2-Axis Tilt Rotary Table
 800–630–550 mm
 22.5 kW
 40
 SK 40 or HSK 63
 Siemens 840D sl



Market leaders trust us.

CHIRON is an experienced partner
in various industries.

- Aerospace
- Automotive
- Mechanical Engineering
- Medical
- Precision Technology

Seconds ahead



   **FZ15 W** *baseline*

Fast precision machining center
with basket tool changer and integrated
workpiece changing device 0°/180°



FZ15 W **baseline**

Reliable technology and high precision as a foundation

The FZ15 W BASELINE has enormous ability for high milling capacity and is among the best machining center of its class in terms of speed, compact construction, stability and reliability.

Range of applications:

- Aerospace
- Automotive
- Mechanical Engineering
- Medical
- Precision Technology



Workpiece changing device with table loading up to 320 kg per side and large clamping surfaces up to 2 x 940 x 520 mm, borehole pattern, central distribution for power supply lines.



CHIRON basket tool changer with 20 tool places (SK 40 or HSK 63). High productivity due to chip-to-chip times as short as 2.1 s.

Your advantages:

- Vertical traveling column principle
- Compact installation area (width 1,620 mm x depth 3,620 mm)
- Mineral cast machine bed
- High rigidity and thermal stability
- Dynamic direct drives and precision guides
- Loading and unloading with tool changing device during machining
- Fast basket tool changer
- Fully enclosed work area, stainless steel covers
- Ergonomic operating and loading concept
- Service friendly access to all auxiliary units
- High durability, low maintenance
- Machine tool construction "Designed and Made in Germany"

Technical data:

■ Travel X-axis	550 mm
■ Travel Y-axis	400 mm
■ Travel Z-axis	425 mm
■ Maximum electrical power	14 kW (15% ED)
■ Maximum spindle speed	10,500 rpm
■ Chip-to-chip time starting	2.1 s
■ Rapid feed as fast as	40 m/min
■ Maximum number of tools	20
■ Tool taper	SK 40 or HSK A-63
■ Maximum tool diameter	175 mm
■ Automatic workpiece change	from 1.9 s
■ Control	Siemens 840D sl

Attractive financing offers (e.g. zero funding)
by our leasing partner.

CHIRON-WERKE GmbH & Co. KG
Kreuzstrasse 75, 78532 Tuttlingen, Germany, Phone +49 7461 940-0

Seconds ahead



   **MILL FX 800** **baseline**

Fast and compact precision machining center for 5-axis simultaneous and complete machining in one set-up


MILL FX 800 baseline

Complete machining with CHIRON Five axis

The Mill800 FX BASELINE offers optimal conditions for highly productive cutting and accurate machining capabilities. One of the machines many unique strengths is its high milling capacity, while offering stability, reliability and little maintenance.

Range of applications:

- Aerospace
- Automotive
- Mechanical Engineering
- Medical



2-axis swivel rotary table for economical complete machining with five simultaneously controlled axes.
Max. workpiece dimension: Ø 940 x 430 mm / swing diameter: Ø 780 mm



Automatic tool change with the pick-up method as fast as 1.5 s (40 tool places).

Your advantages:

- Vertical traveling column principle
- Compact installation area (width 5,400 mm x depth 2,700 mm)
- High rigidity and thermal stability
- Highest precision in positioning and simultaneous operation
- Simple loading with lifting gear (cranes, lift trucks, etc.)
- Integrated CHIRON 2-axis swivel rotary table with direct measuring systems
- Fourth axis with a pivoting range of up to $\pm 120^\circ$
- 5th axis with TORQUE drive
- Fully enclosed work area, stainless steel covers
- Ergonomic operating and loading concept
- Service friendly access to all auxiliary units
- High durability, low maintenance
- Machine tool construction "Designed and Made in Germany"

Technical data:

- | | |
|--|----------------------------------|
| ■ Travel X-axis | 800 mm |
| ■ Travel Y-axis | 630 mm |
| ■ Travel Z-axis | 550 mm |
| ■ Maximum electrical power | 22,5 kW (10% ED) |
| ■ Maximum spindle speed | 12,000 rpm |
| ■ Chip-to-chip time starting | 5 s |
| ■ Rapid feed as fast as | 40 m/min |
| ■ 2-Axis Tilt Rotary Table
- Swivel range | CASD Ø 280 mm
$\pm 120^\circ$ |
| ■ Maximum number of tools | 40 |
| ■ Tool taper | SK 40 or HSK A-63 |
| ■ Maximum tool diameter | 160 mm |
| ■ Maximum tool length | 320 mm |
| ■ Control | Siemens 840D sl |

Attractive financing offers (e.g. zero funding) by our leasing partner.

CHIRON-WERKE GmbH & Co. KG
Kreuzstrasse 75, 78532 Tuttlingen, Germany, Phone +49 7461 940-0

CHIRON worldwide

Germany

CHIRON-WERKE GmbH & Co. KG
Kreuzstraße 75
78532 Tuttlingen, Germany
Phone +49 7461 940-0
Fax +49 7461 940-8000
info@chiron.de
www.chiron.de

CMS-GmbH

Gewerbepark „take-off“ 125
78579 Neuhausen ob Eck, Germany
Phone +49 7461 940-3700
Fax +49 7461 940-3701
cms@chiron.de
www.cms-gebrauchtmaschinen.de

France

CHIRON Technologies
de Production SAS
14 Chemin de la Litte
92390 Villeneuve-la-Garenne, France
Phone +33 1 479 859 50
Fax +33 1 479 854 31
info@chiron-technologies.fr
www.chiron-technologies.fr

Italy

CHIRON Italia S.p.A.
Via Ambrosoli 4/C
20090 Rodano Millepini - MI, Italy
Phone +39 02 953 211 02
Fax +39 02 953 286 20
info@chironitalia.it
www.chironitalia.it

Turkey

CHIRON İstanbul
Makine Ticaret ve Servis Ltd. Şti.
Topçular Mah. Kişla Cad. Cicoz Yolu No:1
Kuşçu Plaza D:11 34055
Eyüp / İstanbul, Turkey
Phone +90 212 612 12 11
Fax +90 212 612 48 28
info@chiron-turkey.com
www.chiron-turkey.com

Poland

CHIRON Polska Sp. z o.o.
ul. Magdorzka 14
41-710 Ruda Śląska, Poland
Phone +48 32 342 2075
Fax +48 32 240 3162
info@chiron-poland.com
www.chiron-poland.com

USA

CHIRON America INC.
10950 Withers Cove Park Drive
Charlotte, NC 28278, USA
Phone +01 704 587 95 26
Fax +01 704 587 04 85
info@chironamerica.com
www.chironamerica.com

China

CHIRON Machine Tool (Beijing) Ltd., China
Room 1203, Tower 1
China Central Plaza Office Building
No. 81, Jianguo Road, Chaoyang District,
Beijing 100025, P.R. China
Phone +86 10 6598 9811
Fax +86 10 6598 9812
info@chiron-china.com
www.chiron-china.com

CHIRON Machine Tools (Taicang) Co., Ltd

No.1-1, Fada Road
Technological Development Zone,
Taicang 215413, Jiangsu Province
P.R. China
Phone +86 512 5367 0800
Fax +86 512 5367 0808
info@chiron-china.com
www.chiron-china.com

India

CHIRON India Machine Tools
Private Limited
#33, Naseer Affinity, 1st Floor
Miller Tank Bund Road, Kaveriappa Layout
Vasanth Nagar, Bangalore - 560 052, India
Phone +91 80 4905 6490
Fax +91 80 4905 6450
info@chiron-india.com
www.chiron-india.com



■ CHIRON Partner
■ CHIRON-WERKE and subsidiaries

CHIRON-WERKE GmbH & Co. KG

Kreuzstrasse 75
78532 Tuttlingen, Germany
Phone +49 7461 940-0
Fax +49 7461 940-8000